

	Application No.	Applicant(s)
Notice of Allowability	10/648,803	MUSARAGNO, MARCO
	Examiner	Art Unit
	James N. Smalley	3727
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to Andr fiked 7/7/06		
2. The allowed claim(s) is/are <u>1-6,8,9,11-15 and 17-19</u> .		
 3.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)	E Notice of Information	Patent Application (PTO 152)
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 		Patent Application (PTO-152) (PTO-413)
_ ,	Paper No./Mail Da	te <u>20060717</u> .
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	08), 7. ⊠ Examiner's Amenda	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	_	ent of Reasons for Allowance
-	9.	

Application/Control Number: 10/648,803 Page 2

Art Unit: 3727

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John DeLuca on 17 July 2006.

- 2. The application has been amended as follows:
- a) Claim 12, line 3, - separate - is INSERTED before the word "tube" and after "duct therethrough, a."
- 3. The following is an examiner's statement of reasons for allowance:

The amendment defines over EP 629,559, which was the closest reference the Examiner was able to locate. Specifically, the amendment to define the tube as "separate" implies the tube is not attached to or adhered to the stopper body. This teaches away from the EP '559 reference, which according to the English translation which was provided to the Examiner by the Applicant in the attached Interview Summary, on page 13, lines 6-11, teaches the barrier layer need not be connected to the base by through a "special operation," and further notes "the barrier layer 2b can be molded together with the plastic material of the base body when the stopper is produced." In other words, the reference teaches directly affixing the membrane to the stopper body, whereas the instant invention teaches placing the membrane in a tube, which is then placed in the stopper body. Furthermore, no motivation could be found to modify the reference in order to overcome the deficiency.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/648,803

Art Unit: 3727

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James N. Smalley whose telephone number is (571) 272-4547. The examiner can normally be reached on M-Th 9-6:30, Alternate Fri 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Nathan Newhouse can be reached on (571) 272-4544. The fax phone number for the organization where
this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

jns

NATHAN J. NEWHOUSE SUPERVISORY PATENT EXAMINER

Page 3